(شركة مساهمة سعودية)

Sahara International Petrochemical Company (Saudi Joint Stock Company)

## Sipchem EVA 2014 CO

14% Ethylene Vinyl Acetate copolymer

Product description: Sipchem EVA 2014 CO is a 14% ethylene vinyl acetate copolymer resin, manufactured by IPC

an affiliate of Sipchem in The Kingdom of Saudi Arabia using an Exxon-Mobil high-pressure

tubular process.

Film made from EVA 2014 CO exhibits very high impact strength, high clarity and excellent

heat sealability.

Applications: Meat Packaging, Heat Seal Layer.

Additives: Thermal Stabiliser: 300 ppm Antiblock: No Slip: No

Properties	Typical Value	Unit	Test Method
Melt Index (190°C / 2.16 kg)	2.0	g/10 min	ASTM D1238
/inyl Acetate Content	14	wt%	ASTM D5594
Pensity	0.933	g/cm <sup>3</sup>	ASTM D1505
Nelting Point	88	°C	ASTM D3418
icat Softening Temperature	64	°C	ASTM D1525
ensile Strength at Break MD	31	MPa	ASTM D882
ensile Strength at Break TD	27	MPa	ASTM D882
longation at Break MD	300	%	ASTM D882
longation at Break TD	730	%	ASTM D882
ecant Modulus MD – 1% Secant	66	MPa	ASTM D882
ecant Modulus TD – 1% Secant	74	MPa	ASTM D882
rop Dart Impact	320	g	ASTM D1709A
lmendorf Tear Strength MD	80	g	ASTM D1922
Imendorf Tear Strength TD	60	g	ASTM D1922

- 1. These are typical properties: these are not to be construed as specifications.
- 2. This product is not intended for use in medical applications and should not be used in any such applications.
- Contact your Sipchem Representative for potential food contact application compliance.

## **Compliance & Product Stewardship Department**

## **Contact Details:**

Website: www.sipchem.com Email: marketing@sipchem.com Phone: +966 13 359 3372

## Disclaimer

Before using the product listed above, customers and other users should take care in determining the suitability of such product for the intended use. SIPCHEM do not accept any liability whatsoever arising from the use of this information or the use, application or processing of any product described herein.

· C.R. 2055007570

•س.ت ۷۵۷، ۲،۵۵۰،۲

P.O. Box 12021 | Jubail Industrial City 31961 | Kingdom of Saudi Arabia

• ص.ب ١٢٠٢١ | مدينة الجبيل الصناعية ١٣١٦١ | المملكة العربية السعودية

• T +966 13 359 9999 | F +966 13 359 9610

•هاتف ۱۳۳۰۹ ۹۹۹۹ | فاکس | ۱۱۲۰ ۱۳۳۰ ۱۳۲۹ <sub>+</sub>

Capital: SR 7,333,333,320