



## VINPOL™ PT100

### Polyethylene Terephthalate

VINPOL PT100 is a PET copolymer designed for fiber applications.

Resin Property	Typical Value	Units	Test Method
Intrinsic Viscosity	1.010 +/- 0.015	dl/g	Supplier Method
Moisture Content	0.30 max.	wt %	Supplier Method
Ash Content	0.02 max.	wt %	Supplier Method
COOH	19.0 +/- 5	equ/gx10 <sup>-6</sup>	Supplier Method
Color CIE LAB L* b*	92.5 +/- 2.0 7.0 +/- 1.0		Supplier Method
Fine Particles	100 max.	ppm	Supplier Method
Bulk Density	0.90 +/- 0.05	g/cm <sup>3</sup>	Supplier Method
Size	128 +/- 3	pcs/2g	Supplier Method

Vinmar Polymers America cannot anticipate or control the many different conditions under which this information and/or product may be used. It does not guarantee the applicability or the accuracy of this information or the suitability of its products in any given situation. User of the material should make their own tests to determine the suitability of each such product for their particular purposes. The data listed herein falls within the normal range of product properties, but they should not be used to establish specification limits or used alone as the basis of design.

Vinmar Polymers America, LLC / 16825 Northchase Drive, Suite 1400, Houston, TX 77060  
Phone: 281-902-0900 Fax: 281-260-8096